

# TECHNICAL DEPT. Lenses Test Report

Product Family: TUNNEL

#### **Contents**

1	AS229701TN1SA	Tunnel entrance reinforced lighting - 65° max candela	Pag. 2
2	AS229701TN2SA	Tunnel entrance reinforced lighting - 55° cax candela	Pag. 3
3	AS229701TN3SA	Oval symmetrical optics for permanent tunnel lighting	Pag. 4
4	AS229704TN1	Tunnel entrance reinforced lighting - 65° max candela	Pag. 5
5	AS229704TN2	Tunnel entrance reinforced lighting - 55° max candela	Pag. 6
6	AS229704TN3	Oval symmetrical optics for permanent tunnel lighting	Pag. 7
7	ETI PLLSA2039	Fixing Adhesive Tape Technical Drawing	Pag. 8
8	<b>Assembly Specifications</b>		Pag. 9
9	Thermal shock resistance	ee level	Pag. 10
10	<b>Application Examples</b>		Pag. 11
11	Packaging - AS229701T	NxSA	Pag. 12
12	Packaging - AS229704T	Nx	Pag. 13
13	Materials / Use and Mai	ntenance / Disclaimer	Pag. 14

TUNNEL lenses AS2297xxTN is the new Khatod's family of optics for outdoor lighting applications specifically designed for tunnel lighting.

They perform best in combination with the most popular 5050 package LEDs.

AS229701TNxSA is a single lens, 25x25mm provided with self-adhesive.

AS229704TNx, 25x140mm, 4-in-a-row linear design.

The family includes 2 counterbeam optics for tunnel entrance lighting and an oval symmetric beam for tunnel permanent lighting.

Made of optical grade PMMA HT, these lenses work perfectly within -40° to +105°C temperature range.

High lighting efficiency and excellent light distribution.

Can be used individually or configured in multiple parts so to create the perfect lighting fixture to meet the required standards.




# AS229701TN1SA - Counterbeam optic for tunnel entrance lighting - 65° Max cd




Self-adhesive Fixing

- Material = PMMA HT
- Angle 65° max candela
- Full angle at 50% from maximum:  $\sim 110^{\circ} x 110^{\circ}$
- Full angle at 10% from maximum: ~ 144°x130°
- The light spots here represented refer to tests carried out with 1 LED 5.0x5.0mm and  $\sim 605$  Lumen












# AS229701TN2SA - Counterbeam optic for tunnel entrance lighting - 55° Max cd




Self-adhesive Fixing

- Material = PMMA HT
- Angle 55° max Candela
- Full angle at 50% from maximum:  $\sim 100^{\circ} x 120^{\circ}$
- Full angle at 10% from maximum:  $\sim 130^{\circ}x140^{\circ}$
- The light spots here represented refer to tests carried out with 1 LED 5.0x5.0mm and  $\sim 605$  Lumen











## AS229701TN3SA - Oval symmetrical optic for permanent tunnel lighting




Self-adhesive Fixing

- Material = PMMA HT
- Full angle at 50% from maximum:  $\sim 100^{\circ} x 150^{\circ}$
- Full angle at 10% from maximum:  $\sim 140^{\circ}x160^{\circ}$
- The light spots here represented refer to tests carried out with 1 LED 5.0x5.0mm and  $\sim 605$  Lumen











## AS229704TN1 - Counterbeam optic for tunnel entrance lighting - 65° Max cd




Pre-fractured for customized length **Screw Fixing** 

- Material = PMMA HT
- Angle 65° max candela
- Full angle at 50% from maximum:  $\sim 110^{\circ} x 110^{\circ}$
- Full angle at 10% from maximum:  $\sim 144^{\circ}x130^{\circ}$
- The light spots here represented refer to tests carried out with 4 LEDs 5.0x5.0mm and ~ 605 Lumen@LED










# AS229704TN2 - Counterbeam optic for tunnel entrance lighting - 55° Max cd




Pre-fractured for customized length Screw Fixing

- Material = PMMA HT
- Angle 55° max candela
- Full angle at 50% from maximum:  $\sim 100^{\circ} x 120^{\circ}$
- Full angle at 10% from maximum:  $\sim 130^{\circ} x 140^{\circ}$
- The light spots here represented refer to tests carried out with 4 LEDs 5.0x5.0mm and ~ 605 Lumen@LED











## AS229704TN3 - Oval symmetrical optic for permanent tunnel lighting




Pre-fractured for customized length Screw Fixing

- Material = PMMA HT
- Full angle at 50% from maximum:  $\sim 100^{\circ} x 150^{\circ}$
- Full angle at 10% from maximum:  $\sim 140^{\circ} x 160^{\circ}$
- The light spots here represented refer to tests carried out with 4 LEDs 5.0x5.0mm and ~ 605 Lumen@LED










## ETIPLLSA2039 - Fixing Adhesive Tape Technical Drawing



## **3M**

# **High Strength Double Coated Tape** with Adhesive 300LSE

9474LE • 9495LE

Product Description	3M™ Double Coated Tapes with 3M™ Adhesive 300LSE provides high bond strength to most surfaces, including many low surface energy plastics such as polypropylene and powder coated paints. The acrylic adhesive also provides excellent adhesion to surfaces contaminated lightly with oil typically used with machine parts.						
Construction	Product Number	Total Tape Thickness (w/o liner)	Faceside <sup>1</sup> Adhesive Type/ Thickness	Carrier Type/ Thickness	Backside <sup>2</sup> Adhesive Type/ Thickness	Liner Color, Type, Print	Liner Caliper <sup>3</sup>
	3M™ Double Coated Tape 9474LE	0.0067" (0.17mm)	0.0028" (0.071mm)	Clear Polyester 0.0005" (0.013mm)	0.0034" (0.086mm)	Faceside Liner/ Tan, 58# Polycoated Kraft, no print Backside liner/ Tan, 58#, Polycoated Kraft, "3M 300LSE"	0.0042" (0.11mm) 0.0042" (0.11mm)
	3M™ Double Coated Tape 9495LF	0.0067" (0.17mm)	0.0028" (0.071mm)	Clear Polyester 0.0005" (0.013mm)	0.0034" (0.086mm)	Tan, 58#, Polycoated Kraft, "3M 300I SF"	0.0042" (0.11mm

# $3M^{\mathsf{TM}}$ High Strength Double Coated Tape with Adhesive 300LSE

9474LE • 9495LE

Typical Physical Properties and Performance Characteristics


Note: The following technical information and data should be considered representative or


Product Number	3M™ Double Coated Tapes 9474LE, 9495LE		
Adhesion to stainless steel ASTM D3330 - 180 degree 2 mil polyester as backing	Oz/in (N/100 mm) Faceside / Backside		
- 72 hour RT	100 (113) / 105 (119)		
Adhesion to stainless steel ASTM D3330 - 90 degree 2 mil al foil	Oz/in (N/100 mm) Faceside/Backside		
- 15 minute RT	70 (79) / 80 (90)		
- 72 hour RT	85 (96) / 100 (113)		
- 72 hour 158°F (70°C)	106 (119) / 130 (147)		
Adhesion to other surfaces ASTM D3330 - 90 degree, 2 mil al foil, 72 hour RT	Oz/in (N/100 mm) Faceside / Backside		
ABS	100 (124) / 90 (102)		
Polypropylene	90 (102) / 80 (90)		
Polycarbonate	150 (169) / 140 (158)		
Glass	90 (102) / 100 (113)		
Shear Strength - ASTM D3654 Modified – (.5 inch² sample size)			
1000 grams at 72°F (22°C)	>10,000 minutes		
500 grams at 158°F (70°C)	>10,000 minutes		
Relative High Temperature Operating Ranges:			
Long Term (days, weeks)	200°F (93°C)		
Short Term (minutes, hours)	300°F (149°C)		
Relative Solvent Resistance:	Very Good		








# **Assembly Specifications**













# **Application Examples**











### Thermal shock resistance level



### **Initial Visual Inspection**

Visual inspection to check the lens integrity before the test


The part resulted physically intact.

The reference temperature of the component under test is  $105^{\circ}$  C.

Photo: the lens in the climatic chamber.



Temperature stress in the climatic chamber



Temperature detected on the part by IR thermal camera



## **Final Visual Inspection**

After testing, an expective view is made with positive result (view photo)


In the picture: the lens in the climatic chamber after testing.

Based on the testing result, AS229701TNxSA test specimens provided to overcome the thermal stress test up to  $105^{\circ}$ C without any physical deterioration of the material.



# Packaging AS229701TNxSA


Item	Quantity	<b>Total Lens</b>	Size (L*W*H)	G.W.
Trays	76 pcs per Tray	76 pcs	50*32 cm	0.8 Kg
Outer Box	11 Trays per Outer Box	836 pcs	50*32*38 cm	13.8 Kg





# Packaging - AS229704TNx

Item	Quantity	Total Parts	Size (L*W*H)	G.W.
Skinpacked Cardboard	20 pcs per Skinpacked Cardboard	20 pcs	50*32 cm	0.52 Kg
Outer Box	30 Skinpacked Cardboard per Outer Box	600 pcs	50*32*38 cm	18.5 Kg



30 Skinpacked Cardboard / Outer Box





# TECHNICAL DEPT. Lenses Test Report

#### **Materials**

Material	Тор
PMMA HT	-40°110°C
AS2297xxTNx Temperature resistance: long-term exposure	-40°105°C
AS2297xxTNx Temperature resistance: short-term exposure	up to + 110 °C

#### **Notes:**

• The optical values shown are the result of optical simulations carried out with LIGHTOOLS, ASAP and ZEMAX software systems. The optical simulations are carried out on the basis of the typical values provided in the LED manufacturers' official datasheets. The photometric analysis has been carried out on physical samples.

#### **Use and Maintenance**

- DO NOT HANDLE OR INSTALL LENSES WITHOUT WEARING GLOVES, SKIN OILS MAY DAMAGE LENS OR LIGHT TRANSMISSION;
- CLEAN LENSES WITH MILD SOAP AND WATER AND A SOFT CLOTH;
- DO NOT USE ANY COMMERCIAL CLEANING SOLVENTS ON LENSES.

#### Disclaimer

Please note that flow lines and weld lines on the external surfaces of the lenses are acceptable if the optical performance of the lens is within the specifications.

Should you require further information, please contact Khatod for advice. All lens testing must be subject to identical conditions as Khatod test condition. Khatod Optoelectronic, Milan, Italy, manufactures lenses for LEDs. Any other use of the lens shall void our liability and warranty. The lenses are an inert component to be used in the manufacture of various products. Our warranty and liability are limited only to the manufacture of the lens. You may not modify, copy, distribute reproduce, license or alter the lens and related materials of Khatod. Khatod does not warrant against damages or defects arising out of the use or misuse of the products; against defects or damage arising from improper installation, or against defects in the product or in its components. No warranty of any kind, expressed or implied, is made regarding the safety of the products. The entire risk as to the quality or performance of the product is with the buyer. In no event shall Khatod be liable for any direct, indirect, punitive, incidental, special, consequential damages, or any damages whatsoever arising out of or connected with the use or misuse of the product. Khatod shall not have any obligation with respect to the product or any part thereof, whether based on contract, tort, strict liability or otherwise. Buyer assumes all risks and liability from use of the product. The laws of Milan, Italy govern this product warranty and liability and you hereby consent to the exclusive jurisdiction and venue of courts in Milan, Italy in all disputes arising out of or relating to the use of this product. Production, marketing, distribution, sale of these products as well as their possible modifications and variations are only exclusive right of Khatod Optoelectronic. No company can perform any of these actions without written permission released by Khatod Optoelectronic. The information contained in this document is proprietary of Khatod Optoelectronic and may change without notice. REPRODUCTION PROHIBITED.